

Health

CANCER

1. American Institute for Cancer Research. (2011, November 03). New Research: Getting Up From Your Desk Can Put the “Breaks” on Cancer [Press release]. Retrieved from <http://www.aicr.org/press/press-releases/getting-up-from-your-desk.html?referrer=http://www.cbsnews.com/news/too-much-sitting-behind-92000-cancer-cases-a-year-report/>.
2. Rimmer, J. H., Ph.D. (n.d.). Sedentary Lifestyle is Dangerous to Your Health : NCHPAD – Building Inclusive Communities. Retrieved from <http://www.nchpad.org/403/2216/Sedentary-Lifestyle-is-Dangerous-to-Your-Health>.
3. Simon, S. (2015). Sitting Too Much Increases Cancer Risk in Women. Retrieved from <https://www.cancer.org/latest-news/sitting-too-much-increases-cancer-risk-in-women.html>.
4. Mathers, C., Stevens, G., & Mascarenhas, M. (2009). Mortality and burden of disease attributable to selected major risks. World Health Organization. Retrieved from http://www.who.int/healthinfo/global_burden_disease/GlobalHealthRisks_report_full.pdf.

CARDIOVASCULAR DISEASE

1. Simon, H. (2013). Exercise’s Effects on the Heart. The New York Times. Retrieved from <http://www.nytimes.com/health/guides/special-topic/physical-activity/exercise-s-effects-on-the-heart.html>.
2. Warren, T., et al. (2009). Sedentary Behaviors Increase Risk of Cardiovascular Disease Mortality in Men. Medicine & Science in Sports & Exercise, 42.5, 879–885. Retrieved from http://journals.www.com/acsm-msse/Fulltext/2010/05000/Sedentary_Behaviors_Increase_Risk_of.6.aspx.
3. Research Page. Get america standing. Retrieved from <http://getamericastanding.org/>.
4. Rimmer, J. H., Ph.D. (n.d.). Sedentary Lifestyle is Dangerous to Your Health : NCHPAD – Building Inclusive Communities. Retrieved from <http://www.nchpad.org/403/2216/Sedentary-Lifestyle-is-Dangerous-to-Your-Health>.
5. Mathers, C., Stevens, G., & Mascarenhas, M. (2009). Mortality and burden of disease attributable to selected major risks. World Health Organization. Retrieved from http://www.who.int/healthinfo/global_burden_disease/GlobalHealthRisks_report_full.pdf.

DIABETES

1. Peddie, M., et al. (2013). Breaking prolonged sitting reduces postprandial glycemia in healthy, normal-weight adults: a randomized cross-over trial. American Journal of Clinical Nutrition, 358–356. Retrieved from <http://getamericastanding.org/pdfs/research/103.pdf>.
2. Mathers, C., Stevens, G., & Mascarenhas, M. (2009). Mortality and burden of disease attributable to selected major risks. World Health Organization. Retrieved from http://www.who.int/healthinfo/global_burden_disease/GlobalHealthRisks_report_full.pdf.
3. D. van der Berg, J., et al. (2016). Associations of total amount and patterns of sedentary behaviour with type 2 diabetes and the metabolic syndrome: The Maastricht Study. SpringerLink, 59.4, 709–718. Retrieved from <http://link.springer.com/article/10.1007/s00125-015-3861-8>.
4. Prakash, R. (2002). Physical inactivity a leading cause of disease and disability, warns WHO. World Health Organization. Retrieved from <http://www.who.int/mediacentre/news/releases/release23/en/>.

EARLY MORTALITY

1. Mathers, C., Stevens, G., & Mascarenhas, M. (2009). Mortality and burden of disease attributable to selected major risks. World Health Organization. Retrieved from http://www.who.int/healthinfo/global_burden_disease/GlobalHealthRisks_report_full.pdf.

2. Matthews, C. E., et al. (2015). Mortality Benefits for Replacing Sitting Time with Different Physical Activities. *Medicine & Science in Sports & Exercise*, 47.9, 1833–40. Retrieved from National Center for Biotechnology Information <https://www.ncbi.nlm.nih.gov/pubmed/25628179>.
3. Veerman, J. L., et al. (2012). Television viewing time and reduced life expectancy: a life table analysis. *British Journal of Sports Medicine*. Retrieved from <http://bjsm.bmj.com/content/early/2011/08/01/bjism.2011.085662>.
4. Levine, J. A. (2015). What are the risks of sitting too much? Mayo Clinic. Retrieved from <http://www.mayoclinic.org/healthy-lifestyle/adult-health/expert-answers/sitting/faq-20058005>.

OSTEOPOROSIS

1. Berkowitz, B. & Clark, P. (2014). The health hazards of sitting. *The Washington Post*. Retrieved from <https://www.washingtonpost.com/apps/g/page/national/the-health-hazards-of-sitting/750/>.
2. Rimmer, J. H., Ph.D. (n.d.). Sedentary Lifestyle is Dangerous to Your Health : NCHPAD – Building Inclusive Communities. Retrieved from <http://www.nchpad.org/403/2216/Sedentary-Lifestyle-is-Dangerous-to-Your-Health>.
3. Mayo Clinic. (2016). Bone health: Tips to keep your bones healthy. Retrieved from Mayo Clinic. <http://www.mayoclinic.org/healthy-lifestyle/adult-health/in-depth/bone-health/art-20045060>.

SITTING DISEASE

1. Ergotron, Inc. (2016) Ergotron JustStand Index: Getting Productivity Up & Moving. Retrieved from Ergotron, Inc. <http://www.juststand.org/tabid/1004/language/en-US/default.aspx>.

Mind

BRAIN POWER

1. Rimmer, J. H., Ph.D. (n.d.). Sedentary Lifestyle is Dangerous to Your Health : NCHPAD – Building Inclusive Communities. Retrieved from <http://www.nchpad.org/403/2216/Sedentary-Lifestyle-is-Dangerous-to-Your-Health>.
2. Van Praag, H., Kempermann, G., & Gage, F. H. (1999). Running increases cell proliferation and neurogenesis in the adult mouse dentate gyrus. *Nature Neuroscience*. 2.2, 66–270. Retrieved from NCBI <https://www.ncbi.nlm.nih.gov/pubmed/10195220>.
3. Jensen, E. (2005). Chapter 4. Movement and Learning. *Teaching with the Brain in Mind*, 2nd Edition. Retrieved from <http://www.ascd.org/publications/books/104013/chapters/Movement-and-Learning.aspx>.
4. In the office – Studies show movement is linked to improved concentration and greater productivity

ENERGY

1. Belcher, B., et al. (2015) Effects of Interrupting Children’s Sedentary Behaviors With Activity on Metabolic Function: A Randomized Trial. *Journal of Clinical Endocrinology & Metabolism*. Retrieved from <http://press.endocrine.org/doi/10.1210/jc.2015-2803>.
2. Pronk, N. P., Ph.D, Katz, A.S., Ph.D., Lowry, M., MS & Payfer, J.R. (2012). Reducing Occupational Sitting Time and Improving Worker Health: The Take-a-Stand Project, 2011. *Preventing Chronic Disease*. Retrieved from https://www.cdc.gov/pcd/issues/2012/pdf/11_0323.pdf.
3. Pronk, N. P., Ph.D, Katz, A.S., Ph.D., Lowry, M., MS & Payfer, J.R. (2012). Reducing Occupational Sitting Time and Improving Worker Health: The Take-a-Stand Project, 2011. *Preventing Chronic Disease*. Retrieved from https://www.cdc.gov/pcd/issues/2012/pdf/11_0323.pdf.

FOCUS

1. Verburgh, L., Konigs, M., Scherder, E. J. A., & Oosterlaan, J. (2012). Physical exercise and executive functions in preadolescent children, adolescents and young adults: a meta-analysis. *British Journal of Sports Medicine*, 48.12. Retrieved from <http://bjsm.bmj.com/content/48/12/973>.
2. Nortek Survey Results
3. Garrett, G., Benden, M., Mehta, R., Pickens, A., Peres, S. C., & Zhao, H. (2016). Call Center Productivity Over 6 Months Following a Standing

Desk Intervention. IIE Transactions on Occupational Ergonomics and Human Factors, 4.2-3, 188-195. Retrieved from <http://www.tandfon-line.com/doi/abs/10.1080/21577323.2016.1183534?tokenDomain=eprints&tokenAccess=km4nB428SqEGEqw7Bwjz&forwardService=show-FullText&doi=10.1080%2F21577323.2016.1183534&doi=10.1080%2F21577323.2016.1183534&journalCode=uehf20>.

MOOD

1. Pronk, N. P., Ph.D, Katz, A.S., Ph.D., Lowry, M., MS & Payfer, J.R. (2012). Reducing Occupational Sitting Time and Improving Worker Health: The Take-a-Stand Project, 2011. Preventing Chronic Disease. Retrieved from https://www.cdc.gov/pcd/issues/2012/pdf/11_0323.pdf.
2. New Balance Associates & Wellness & Prevention, Inc. (2012). New Balance Associates Increase Engagement and Energy Levels with Workplace Movement Program. Wellness & Prevention Program Designed to Enhance the Way Organizations Approach the Workplace. [Press Release]. Retrieved from <http://www.prweb.com/releases/2012/5/prweb9533576.htm>.
3. Jensen, E. (2005). Chapter 4. Movement and Learning. Teaching with the Brain in Mind, 2nd Edition. Retrieved from <http://www.ascd.org/publications/books/104013/chapters/Movement-and-Learning.aspx>.
4. Kilpatrick, M., Sanderson, K., Blizzard, L., Teale, B., & Venn, A. (2013). Cross-sectional associations between sitting at work and psychological distress: Reducing sitting time may benefit mental health. Mental Health and Physical Activity. 6.2, 103-109. Retrieved from https://www.psychologicalscience.org/news/minds-business/more-bad-news-about-sitting-it-may-harm-workers-mental-health.html#.WLh_7fnyvmE.

Body

BONE HEALTH

1. NIH Osteoporosis and Related Bone Diseases National Resource Center. (2015). Exercise for Your Bone Health. National Institute of Arthritis and Musculoskeletal and Skin Diseases. Retrieved from https://www.niams.nih.gov/health_info/bone/Bone_Health/Exercise/default.asp.
2. Chastin, S. F. M., Mandrichenko, O., & Skelton, D. A. (2014). The frequency of osteogenic activities and the pattern of intermittence between periods of physical activity and sedentary behaviour affects bone mineral content: the cross-sectional NHANES study. BMC Public Health, 14.4. Retrieved from Get America Standing <http://getamericastanding.org/pdfs/research/118.pdf>.
3. Weaver, C., Ph.D., et al. (2002). What Individuals Can Do to Assure Their Future Bone Health. Retrieved from Report of the Surgeon General's Workshop on Osteoporosis and Bone Health <https://www.ncbi.nlm.nih.gov/books/NBK44683/>.

CALORIES

1. BBC Magazine. (2013). Calorie burner: How much better is standing up than sitting? BBC Magazine. Retrieved from <http://www.bbc.com/news/magazine-24532996>.
2. Gallagher, J. (2015). Office workers 'too sedentary.' BBC Magazine. Retrieved from <http://www.bbc.com/news/health-32069698>.
3. Corliss, J. (2015). Too much sitting linked to heart disease, diabetes, premature death. Harvard Health Publications. Retrieved from <http://www.health.harvard.edu/blog/much-sitting-linked-heart-disease-diabetes-premature-death-201501227618>.

CIRCULATION

1. Neuropathy Treatment Group. (n.d.). How Sitting Is Killing Your Nerves & What To Do About It. Retrieved from <http://www.neuropathytreatmentgroup.com/how-sitting-is-killing-your-nerves-what-to-do-about-it/>.
2. Ireland, K. (2013). How to Improve the Circulation in Your Calf, Ankle & Foot. Livestrong.com. Retrieved from <http://www.livestrong.com/article/543775-how-to-improve-the-circulation-in-your-calf-ankle-foot/>.
3. Shirakawa, T., MD, et al. (2016). Watching Television and Risk of Mortality From Pulmonary Embolism Among Japanese Men and Women. Circulation, 134.4, 355-7. Retrieved from <http://circ.ahajournals.org/content/134/4/355>.

HEART HEALTH

1. McManus, A. M., et al. (2015). Impact of prolonged sitting on vascular function in young girls. *Experimental Psychology*, 100.11, 1379–87. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/26370881>.
2. Wundaale, K. (2010). Increased Cardiometabolic Risk Is Associated with Increased TV Viewing Time. *Journal of the American College of Sports Medicine*, 42.8, 1511–8. Retrieved from Get America Standing <http://getamericastanding.org/pdfs/research/87.pdf>.
3. Healy, G. N., Winkler, E. A., Owen, N., Anuradha, S., & Dunstan, D. W. (2015). Replacing sitting time with standing or stepping: associations with cardio-metabolic risk biomarkers. *European Heart Journal*, 36.39, 2643–9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/26228867>.

METABOLISM

1. Narins, E. (2013). 10 Things That Slow Your Metabolism. *Women's Health*. Retrieved from <http://www.womenshealth.com.au/article/health/10-things-that-slow-your-metabolism-calorie-burning>.
2. Perrine, S. & Flickinger, L. (2011). 15 Easy Ways to Burn More Fat. *Women's Health*. Retrieved from <http://www.womenshealthmag.com/food/boost-metabolism>.
3. Hamilton, M. T., Hamilton, D. G., & Zderic, T. W. (2004). Exercise physiology versus inactivity physiology: an essential concept for understanding lipoprotein lipase regulation. *Exercise and Sport Sciences Reviews*, 32.4, 161–6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/15604935>.

TONES MUSCLES

1. Fox Health News. (2016). 'Dormant Butt Syndrome' may increase risk of chronic pain. *Fox News Online*. Retrieved from <http://www.fox-news.com/health/2016/05/23/dormant-butt-syndrome-may-increase-risk-chronic-pain.html>.

PAIN RELIEF

1. Pronk, N. P., Ph.D, Katz, A.S., Ph.D., Lowry, M., MS & Payfer, J.R. (2012). Reducing Occupational Sitting Time and Improving Worker Health: The Take-a-Stand Project, 2011. *Preventing Chronic Disease*. Retrieved from https://www.cdc.gov/pcd/issues/2012/pdf/11_0323.pdf.
2. Ognibene, G. T., BA, Torres, W., BS, von Eyben, R., MS, & Horst, K. C., MD. (2016). Impact of a Sit-Stand Workstation on Chronic Low Back Pain: Results of a Randomized Trial. *Journal of Occupational and Environmental Medicine*, 58.3, 287–93. Retrieved from http://journals.lww.com/joem/Citation/2016/03000/Impact_of_a_Sit_Stand_Workstation_on_Chronic_Low.11.aspx.
3. Roffey, D. M., Ph.D, et al. (2010). Causal assessment of occupational standing or walking and low back pain: results of a systematic review. *The Spine Journal*. Retrieved from Get America Standing <http://getamericastanding.org/pdfs/research/61.pdf>.

POSTURE

1. Berkowitz, B. & Clark, P. (2014). The health hazards of sitting. *The Washington Post*. Retrieved from <https://www.washingtonpost.com/apps/g/page/national/the-health-hazards-of-sitting/750/>.
2. Pan, J. (2012). Why Sitting Too Much Is Dangerous. *Mashable*. Retrieved from <http://mashable.com/2012/06/18/too-much-sitting/#DsjH-QKn1ZqV>.